ELSEVIER

Journal of Organometallic Chemistry 647 (2002) 251

Journal of Organometallic Chemistry

www.elsevier.com/locate/jorganchem

Author Index of Volume 647

Anwander, R., 236
Arndt, S., 158
Arnold, P.L., 205
Aspinall, H.C., 151

Bala, M.D., 105
Barbier-Baudry, D., 167
Bird, S.J., 205
Bochkarev, M.N., 94
Bonnet, F., 167

Chen, Y., 114
Corrette, C.P., 225
Cristina Cassani, M., 71

Deacon, G.B., 50
Domenichini, B., 167
Dormond, A., 167

Edelmann, F.T., 94, 245
Eisenstein, O., 190
Evans, W.J., 1, 2

Ferrence, G.M., 84
Fischer, A., 94, 245
Forsyth, C.M., 50

Gamer, M.T., 123
Görlitzer, H.W., 236
Greeves, N., 151
Gun'ko, Y.K., 71

Hall, J.J., 205
Hitchcock, P.B., 71, 198
Hou, Z., 61
Huang, J., 100, 105
Hulkes, A.G., 71

Irrgang, T., 12

Jie, S., 114

Kempe, R., 12
Khvostov, A.V., 71, 198
Kirillov, E.N., 94
Kitamura, M., 158
Klimpel, M.G., 236

Lappert, M.F., 1, 71, 198
Liang, C., 105
Lorenz, V., 245

Marçalo, J., 216
Maron, L., 190
Molander, G.A., 225
Mountford, P., 145

Natrajan, L.S., 205
Nickel, S., 50
Nief, F., 139
Nie, W., 114
Noss, H., 12

Okuda, J., 158

Petrov, E.S., 21
Pires de Matos, A., 216
Protchenko, A.V., 71, 198

Qian, C., 114
Qian, Y., 100, 105

Ricard, L., 139
Roesky, P.W., 123
Roitershtein, D.M., 21
Romero, J.A.C., 225
Rybakova, L.F., 21

Scherer, W., 236
Shen, Q., 180
Skinner, M.E.G., 145
Spaniol, T.P., 158
Spiegler, M., 236
Sun, J., 105

Tafipolsky, M., 236
Takahashi, T., 158
Takats, J., 84
Trifonov, A., 158
Trifonov, A.A., 94
Tyrrell, B.R., 145

Visseaux, M., 139, 167

Wakatsuki, Y., 61
Ward, B.D., 145
Wilson, C., 205

Yao, Y., 180
Yasuda, H., 128

Zhang, H., 105
Zhou, X., 28
Zhu, M., 28

PII: S0022-328X(02)01184-1

ELSEVIER

Journal of Organometallic Chemistry 647 (2002) 253–256

Journal of Organometallic Chemistry

www.elsevier.com/locate/jorganchem

Subject Index of Volume 647

Actinide
The expansion of divalent organolanthanide reduction chemistry via new molecular divalent complexes and sterically induced reduction reactivity of trivalent complexes. 2
Activation small molecule
Synthesis and reactivity of organolanthanoid complexes containing N and S ligands. 180
Alkoxides
Organolanthanide chemistry in the gas phase. 216
Alkylisocyanates
Organo-rare-earth-metal initiated living polymerizations of polar and nonpolar monomers. 128
Alkyl (meth)acrylate
Organo-rare-earth-metal initiated living polymerizations of polar and nonpolar monomers. 128
Alkynylsilane
Hydrosilylation of alkynylsilanes utilizing organolanthanide and Group 3 metallocene complexes. 225
Allyl complexes
Non-hindered ansasamarocenes, versatile catalysts for diene/olefin polar monomer copolymerisations. What is really the active species?. 167
Amides
Aspects of non-classical organolanthanide chemistry. 71
Amido
Towards f and d electron interactions in amido metal complexes. 12
Amido-cyclopentadienyl ligand
Metalation of aromatic heterocycles by yttrium alkyl complexes that contain a linked amido-cyclopentadienyl ligand: synthesis, structure and Lewis base adduct formation. 158
Aminopyridinato
Towards f and d electron interactions in amido metal complexes. 12
Arene complexes
Organolanthanide chemistry in the gas phase. 216
Aryloxide
New N- and O-donor ligand environments in organoscandium chemistry. 145
Symmetric and asymmetric samarium alkoxide derivatives of bridging sulfur biphenolate and binaphtholate ligands: synthetic, structural, and catalytic studies. 205
Aryloxo
Bis(pentafluorophenyl)mercury—a versatile synthon in organo-, organooxo-, and organoamido-lanthanoid chemistry. 50
Asymmetric monoacylation
Symmetric and asymmetric samarium alkoxide derivatives of bridging sulfur biphenolate and binaphtholate ligands: synthetic, structural, and catalytic studies. 205

Binaphthol
Defining effective chiral binding sites at lanthanides—highly enantioselective reagents and catalysts from binaphtholate and pybox ligands. 151
Binaphtholate ancillary ligands
Symmetric and asymmetric samarium alkoxide derivatives of bridging sulfur biphenolate and binaphtholate ligands: synthetic, structural, and catalytic studies. 205
Bis(pentafluorophenyl)mercury
Bis(pentafluorophenyl)mercury—a versatile synthon in organo-, organooxo-, and organoamido-lanthanoid chemistry. 50
Bis(phosphinimino)methanides
Cyclopentadienyl complexes of yttrium and the lanthanides with bis(phosphinimino)methanides. 123
Bis(silyl)alkene
Hydrosilylation of alkynylsilanes utilizing organolanthanide and Group 3 metallocene complexes. 225
3-Butenylcyclopentadiene
Synthesis, characterization and application of organolanthanide complexes $(CH_2{=}CHCH_2CH_2C_5H_4)_2Ln{-}Cl{\cdot}2THF$ (Ln = Sm, Y, Dy, Er) as methyl methacrylate (MMA) polymerization catalysts. 105

Catalysis
Defining effective chiral binding sites at lanthanides—highly enantioselective reagents and catalysts from binaphtholate and pybox ligands. 151
Hydrosilylation of alkynylsilanes utilizing organolanthanide and Group 3 metallocene complexes. 225
Insertions into lanthanide–ligand bonds in organolanthanide chemistry. 28
C–H bond activation
Metalation of aromatic heterocycles by yttrium alkyl complexes that contain a linked amido-cyclopentadienyl ligand: synthesis, structure and Lewis base adduct formation. 158
Copolymerisation
Non-hindered ansasamarocenes, versatile catalysts for diene/olefin polar monomer copolymerisations. What is really the active species?. 167
Crown ether
Ytterbium(II) amides and crown ethers: addition versus amide substitution. 198
Cyanohydrin
Defining effective chiral binding sites at lanthanides—highly enantioselective reagents and catalysts from binaphtholate and pybox ligands. 151
Cyclooctatetraene
Synthesis of mixed phospholyl/cyclooctatetraenyl–lanthanide complexes. Crystal and molecular structure of (cyclooctatetraenyl)[3,4-dimethyl-2,5-bis(trimethylsilyl)-phospholyl]-(tetrahydrofuran)neodymium. 139
Cyclopentadienyl
Bis(pentafluorophenyl)mercury—a versatile synthon in organo-, organooxo-, and organoamido-lanthanoid chemistry. 50
Cyclopentadienyl complexes of yttrium and the lanthanides with bis(phosphinimino)methanides. 123
Cyclopentadienyls
Aspects of non-classical organolanthanide chemistry. 71

PII: S0022-328X(02)01185-3

Deoxygenation
Organolanthanides RLnX (R is alkyl, aryl, X is halogen) and lanthanide complexes with aromatic hydrocarbon dianions: synthesis, structure, and reactivity, 21
Desymmetrisation
Symmetric and asymmetric samarium alkoxide derivatives of bridging sulfur biphenolate and binaphtholate ligands; synthetic, structural, and catalytic studies, 205
DFT
DFT studies of some structures and reactions of lanthanides complexes, 190
Dianionic ligands
Organolanthanides RLnX (R is alkyl, aryl, X is halogen) and lanthanide complexes with aromatic hydrocarbon dianions: synthesis, structure, and reactivity, 21
Diene
Non-hindered ansasamarocenes, versatile catalysts for diene/olefin/polar monomer copolymerisations. What is really the active species?, 167
β-Diketiminates
Aspects of non-classical organolanthanide chemistry, 71
Dinitrogen complexes
The expansion of divalent organolanthanide reduction chemistry via new molecular divalent complexes and sterically induced reduction reactivity of trivalent complexes, 2
Divalent lanthanides
Lanthanide(II) complexes bearing mixed linked and unlinked methylcyclopentadienyl–monodentate-anionic ligands, 61
Donor functionalized Cp and Ind ligand
Intramolecular coordination of Ln–O and Ln–N bonds in some new substituted lanthanocene complexes, 100

Enantioselective synthesis
Defining effective chiral binding sites at lanthanides—highly enantioselective reagents and catalysts from binaphtholate and pybox ligands, 151
Ethylene
Organo-rare-earth-metal initiated living polymerizations of polar and nonpolar monomers, 128

Fluorenyl cyclopentadienyl
Synthesis, structural characterization and catalytic behavior of one-atom bridged fluorenyl cyclopentadienyl lanthanocene complexes with C_2- or C_1-symmetry, 114
FT-ICR MS
Organolanthanide chemistry in the gas phase, 216

Gas phase
Organolanthanide chemistry in the gas phase, 216

Half-sandwich complex
A new half-sandwich Yb(II) complex with the tridentate cyclopentadienyl ligand $[C_5H_4CH_2CH(O)CH_2OBu^n]^{2-}$: synthesis, self-assembly of a tetranuclear cubane-like framework $\{[(\eta^5\text{-}C_5H_4)CH_2CH(\mu^3\text{:}\eta^1\text{-}O)CH_2OBu^n]Yb\}_4$ and oxidative alkylation by Me_2Hg to the Yb(III) derivative $[(\eta^5\text{-}C_5H_4)CH_2CH(\eta^1\text{-}O)CH_2OBu^n]YbMe(THF)_3$, 94
Half-sandwich complexes
Metalation of aromatic heterocycles by yttrium alkyl complexes that contain a linked amido-cyclopentadienyl ligand: synthesis, structure and Lewis base adduct formation, 158
Heterobimetallic
Towards f and d electron interactions in amido metal complexes, 12
Heterocycles
Metalation of aromatic heterocycles by yttrium alkyl complexes that contain a linked amido-cyclopentadienyl ligand: synthesis, structure and Lewis base adduct formation, 158
Heteroleptic complexes
$[(Tp^{t\text{-}Bu,Me})Yb(\mu\text{-}H)]_2$: a fecund precursor to a host of divalent, hydrotris(pyrazolyl)borate supported f-element complexes, 84
Hydride
$[(Tp^{t\text{-}Bu,Me})Yb(\mu\text{-}H)]_2$: a fecund precursor to a host of divalent, hydrotris(pyrazolyl)borate supported f-element complexes, 84
Hydrosilylation
Hydrosilylation of alkynylsilanes utilizing organolanthanide and Group 3 metallocene complexes, 225
Hydrotris(pyrazolyl)borate
$[(Tp^{t\text{-}Bu,Me})Yb(\mu\text{-}H)]_2$: a fecund precursor to a host of divalent, hydrotris(pyrazolyl)borate supported f-element complexes, 84

Insertion
Insertions into lanthanide–ligand bonds in organolanthanide chemistry, 28
Intramolecular coordination
Intramolecular coordination of Ln–O and Ln–N bonds in some new substituted lanthanocene complexes, 100

Lactones
Organo-rare-earth-metal initiated living polymerizations of polar and nonpolar monomers, 128
Lanthanide
Bis(pentafluorophenyl)mercury—a versatile synthon in organo-, organooxo-, and organoamido-lanthanoid chemistry, 50
Defining effective chiral binding sites at lanthanides—highly enantioselective reagents and catalysts from binaphtholate and pybox ligands, 151
DFT studies of some structures and reactions of lanthanides complexes, 190
Intramolecular coordination of Ln–O and Ln–N bonds in some new substituted lanthanocene complexes, 100
Non-hindered ansasamarocenes, versatile catalysts for diene/olefin/polar monomer copolymerisations. What is really the active species?, 167
Synthesis, structural characterization and catalytic behavior of one-atom bridged fluorenyl cyclopentadienyl lanthanocene complexes with C_2- or C_1-symmetry, 114
The expansion of divalent organolanthanide reduction chemistry via new molecular divalent complexes and sterically induced reduction reactivity of trivalent complexes, 2
Lanthanide complexes
Aspects of non-classical organolanthanide chemistry, 71
Lanthanide ions
Organolanthanide chemistry in the gas phase, 216
Lanthanides
A new half-sandwich Yb(II) complex with the tridentate cyclopentadienyl ligand $[C_5H_4CH_2CH(O)CH_2OBu^n]^{2-}$: synthesis, self-assembly of a tetranuclear cubane-like framework $\{[(\eta^5\text{-}C_5H_4)CH_2CH(\mu^3\text{:}\eta^1\text{-}O)CH_2OBu^n]Yb\}_4$ and oxidative alkylation by Me_2Hg to the Yb(III) derivative $[(\eta^5\text{-}C_5H_4)CH_2CH(\eta^1\text{-}O)CH_2OBu^n]YbMe(THF)_3$, 94
Cyclopentadienyl complexes of yttrium and the lanthanides with bis(phosphinimino)methanides, 123
Synthesis, characterization and application of organolanthanide complexes $(CH_2{=}CHCH_2CH_2C_5H_4)_2Ln(Cl)2THF$ (Ln = Sm, Y, Dy, Er) as methyl methacrylate (MMA) polymerization catalysts, 105
$[(Tp^{t\text{-}Bu,Me})Yb(\mu\text{-}H)]_2$: a fecund precursor to a host of divalent, hydrotris(pyrazolyl)borate supported f-element complexes, 84

Lanthanocene
Synthesis, structural characterization and catalytic behavior of one-atom bridged fluorenyl cyclopentadienyl lanthanocene complexes with C_s- or C_1-symmetry. 114
Lanthanum
β-SiH agostic bonding in sterically crowded lanthanidocene silylamide complexes. 236
Ligand modeling
DFT studies of some structures and reactions of lanthanides complexes. 190
Lutetium
Organolanthanides RLnX (R is alkyl, aryl, X is halogen) and lanthanide complexes with aromatic hydrocarbon dianions: synthesis, structure, and reactivity. 21

Macrocycle
New N- and O-donor ligand environments in organoscandium chemistry. 145
Metallocene complex
Lanthanide(II) complexes bearing mixed linked and unlinked methylcyclopentadienyl–monodentate-anionic ligands. 61
Metallocenes
Organolanthanide chemistry in the gas phase. 216
β-SiH agostic bonding in sterically crowded lanthanidocene silylamide complexes. 236
Metal–metal bonds
Organolanthanide chemistry in the gas phase. 216
Mixed ligands
Lanthanide(II) complexes bearing mixed linked and unlinked methylcyclopentadienyl–monodentate-anionic ligands. 61
MMA
Synthesis, characterization and application of organolanthanide complexes $(CH_2{=}CHCH_2CH_2C_5H_4)_2Ln{-}Cl{\cdot}2THF$ (Ln = Sm, Y, Dy, Er) as methyl methacrylate (MMA) polymerization catalysts. 105
Molecules
DFT studies of some structures and reactions of lanthanides complexes. 190
Monodentate-anion ligand
Lanthanide(II) complexes bearing mixed linked and unlinked methylcyclopentadienyl–monodentate-anionic ligands. 61

Neodymium
Synthesis of mixed phospholyl cyclooctatetraenyl–lanthanide complexes. Crystal and molecular structure of (cyclooctatetraenyl)[3,4-dimethyl-2,5-bis(trimethylsilyl)-phospholyl](tetrahydrofuran)neodymium. 139
N ligands
Cyclopentadienyl complexes of yttrium and the lanthanides with bis(phosphinimino)methanides. 123
NMR spectra
Ytterbium(II) amides and crown ethers: addition versus amide substitution. 198

Olefin
Non-hindered ansasamarocenes, versatile catalysts for diene/olefin/polar monomer copolymerisations. What is really the active species?. 167
Olefins
Organo-rare-earth-metal initiated living polymerizations of polar and nonpolar monomers. 128
Orbital
DFT studies of some structures and reactions of lanthanides complexes. 190
Organoimides
Bis(pentafluorophenyl)mercury—a versatile synthon in organo-, organooxo-, and organoamido-lanthanoid chemistry. 50
Organolanthanide
Hydrosilylation of alkynylsilanes utilizing organolanthanide and Group 3 metallocene complexes. 225
Insertions into lanthanide–ligand bonds in organolanthanide chemistry. 28
Organolanthanides
Organolanthanides RLnX (R is alkyl, aryl, X is halogen) and lanthanide complexes with aromatic hydrocarbon dianions: synthesis, structure, and reactivity. 21
Organolanthanoid complex
Synthesis and reactivity of organolanthanoid complexes containing N and S ligands. 180
Organometallic
The expansion of divalent organolanthanide reduction chemistry via new molecular divalent complexes and sterically induced reduction reactivity of trivalent complexes. 2
Organoyttrium
Hydrosilylation of alkynylsilanes utilizing organolanthanide and Group 3 metallocene complexes. 225

Pentafluorophenyl
Bis(pentafluorophenyl)mercury—a versatile synthon in organo-, organooxo-, and organoamido-lanthanoid chemistry. 50
Pentamethylcyclopentadienyl
β-SiH agostic bonding in sterically crowded lanthanidocene silylamide complexes. 236
Phosphole
Synthesis of mixed phospholyl cyclooctatetraenyl–lanthanide complexes. Crystal and molecular structure of (cyclooctatetraenyl)[3,4-dimethyl-2,5-bis(trimethylsilyl)-phospholyl]-(tetrahydrofuran)neodymium. 139
Polyamide
New N- and O-donor ligand environments in organoscandium chemistry. 145
Polydentate Schiff base
Intramolecular coordination of Ln–O and Ln–N bonds in some new substituted lanthanocene complexes. 100
Polymerisation
Non-hindered ansasamarocenes, versatile catalysts for diene/olefin/polar monomer copolymerisations. What is really the active species?. 167
Polymerization
Lanthanide(II) complexes bearing mixed linked and unlinked methylcyclopentadienyl–monodentate-anionic ligands. 61
Organo-rare-earth-metal initiated living polymerizations of polar and nonpolar monomers. 128
Synthesis and reactivity of organolanthanoid complexes containing N and S ligands. 180
Synthesis, characterization and application of organolanthanide complexes $(CH_2{=}CHCH_2CH_2C_5H_4)_2Ln{-}Cl{\cdot}2THF$ (Ln = Sm, Y, Dy, Er) as methyl methacrylate (MMA) polymerization catalysts. 105
Pybox
Defining effective chiral binding sites at lanthanides—highly enantioselective reagents and catalysts from binaphtholate and pybox ligands. 151

Rare-earth-metal complex
Organo-rare-earth-metal initiated living polymerizations of polar and nonpolar monomers. 128
Reactivity
Synthesis and reactivity of organolanthanoid complexes containing N and S ligands. 180
Redox transmetalation
A new half-sandwich Yb(II) complex with the tridentate cyclopentadienyl ligand $[C_5H_4CH_2CH(O)CH_2OBu^t]^2$: synthesis, self-assembly of a tetranuclear cubane-like framework $\{[(\eta^5\text{-}C_5H_4)CH_2CH(\mu^3{:}\eta^1\text{-}O)CH_2OBu^t]Yb\}_4$ and oxidative

alkylation by Me_2Hg to the Yb(III) derivative [(η^5-C_5H_4)CH_2CH(η^1-O)CH_2OBu^n]YbMe(THF), 94
Reduction
Lanthanide(II) complexes bearing mixed linked and unlinked methylcyclopentadienyl–monodentate-anionic ligands, 61
Review
Insertions into lanthanide–ligand bonds in organolanthanide chemistry, 28

Samarium
Non-hindered ansasamarocenes, versatile catalysts for diene/olefin/polar monomer copolymerisations. What is really the active species?, 167
Silsesquioxane chemistry. Part 10. Silsesquioxane silanolate complexes of samarium and scandium, 245
Synthesis of mixed phospholyl/cyclooctatetraenyl–lanthanide complexes. Crystal and molecular structure of (cyclooctatetraenyl)[3,4-dimethyl-2,5-bis(trimethylsilyl)-phospholyl]
(tetrahydrofuran)neodymium, 139
Scandium
New N- and O-donor ligand environments in organoscandium chemistry, 145
Silsesquioxane chemistry. Part 10. Silsesquioxane silanolate complexes of samarium and scandium, 245
β-SiH monoagostic interactions
β-SiH agostic bonding in sterically crowded lanthanidocene silylamide complexes, 236
Silsesquioxanes
Silsesquioxane chemistry. Part 10. Silsesquioxane silanolate complexes of samarium and scandium, 245
Silylamide route
β-SiH agostic bonding in sterically crowded lanthanidocene silylamide complexes, 236
Sm(III) Lewis acid
Symmetric and asymmetric samarium alkoxide derivatives of bridging sulfur biphenolate and binaphtholate ligands; synthetic, structural, and catalytic studies, 205
Sterically induced reduction
The expansion of divalent organolanthanide reduction chemistry via new molecular divalent complexes and sterically induced reduction reactivity of trivalent complexes, 2
Structure
Ytterbium(II) amides and crown ethers: addition versus amide substitution, 198
Styrene
Organo-rare-earth-metal initiated living polymerizations of polar and nonpolar monomers, 128
Sulfur biphenolate
Symmetric and asymmetric samarium alkoxide derivatives of bridging sulfur biphenolate and binaphtholate ligands; synthetic, structural, and catalytic studies, 205
Synthesis
Synthesis and reactivity of organolanthanoid complexes containing N and S ligands, 180

tert-Butoxides
Aspects of non-classical organolanthanide chemistry, 71
Tetramethylcyclopentadienyl
β-SiH agostic bonding in sterically crowded lanthanidocene silylamide complexes, 236
Tetraphenylcyclopentadienyl
β-SiH agostic bonding in sterically crowded lanthanidocene silylamide complexes, 236
Tridentate cyclopentadienyl ligand
A new half-sandwich Yb(II) complex with the tridentate cyclopentadienyl ligand $[C_5H_4CH_2CH(O)CH_2OBu^n]^{2-}$: synthesis, self-assembly of a tetranuclear cubane-like framework $\{[(\eta^5\text{-}C_5H_4)CH_2CH(\mu^5\text{:}\eta^1\text{-}O)CH_2OBu^n]Yb\}_4$ and oxidative alkylation by Me_2Hg to the Yb(III) derivative [(η^5-C_5H_4)CH_2CH(η^1-O)CH_2OBu^n]YbMe(THF), 94

X-ray
New N- and O-donor ligand environments in organoscandium chemistry, 145
X-ray structure
Silsesquioxane chemistry. Part 10. Silsesquioxane silanolate complexes of samarium and scandium, 245

Ytterbium
Organolanthanides RLnX (R is alkyl, aryl, X is halogen) and lanthanide complexes with aromatic hydrocarbon dianions: synthesis, structure, and reactivity, 21
Ytterbium(II)
$[(Tp'^{Bu,Me})Yb(\mu\text{-}H)]_2$: a fecund precursor to a host of divalent, hydrotris(pyrazolyl)borate supported f-element complexes, 84
Ytterbium(II) amides
Ytterbium(II) amides and crown ethers: addition versus amide substitution, 198
Yttrium
Cyclopentadienyl complexes of yttrium and the lanthanides with bis(phosphinimino)methanides, 123
Metalation of aromatic heterocycles by yttrium alkyl complexes that contain a linked amido-cyclopentadienyl ligand: synthesis, structure and Lewis base adduct formation, 158
Organolanthanides RLnX (R is alkyl, aryl, X is halogen) and lanthanide complexes with aromatic hydrocarbon dianions: synthesis, structure, and reactivity, 21
β-SiH agostic bonding in sterically crowded lanthanidocene silylamide complexes, 236